

NAME

GLStrGen.pl - Generate structures for Glycerolipids (GL)

SYNOPSIS

GLStrGen.pl GLAbbrev|GLAbbrevFileName ...

GLStrGen.pl [-c, --ChainAbbrevMode *MostLikely* | *Arbitrary*] [-h, --help] [-m, --mode *Abbrev* | *AbbrevFileName*] [-p, --ProcessMode *WriteSDFile* | *CountOnly*] [-o, --overwrite] [-r, --root rootname] [-w, --workingdir dirname] <arguments>...

DESCRIPTION

Generate Glycerolipids (GL) structures using compound abbreviations specified on a command line or in a CSV/TSV Text file. All the command line arguments represent either compound abbreviations or file name containing abbreviations. Use *-m*, *--mode* option to control the type of command line arguments.

A SD file, containing structures for all GL abbreviations along with ontological information, is generated as an output.

SUPPORTED ABBREVIATIONS

Current support for GL structure generation include these main classes and sub classes:

o Monoradylglycerols

- . Monoacylglycerols
- . Monoalkylglycerols
- . Mono-(1Z-alkenyl)-glycerol

o Diradylglycerols

- . Diacylglycerols
- . Alkyl, acylglycerols
- . Dialkylglycerols
- . 1Z-alkenyl, acylglycerols

o Triradylglycerols

- . Triacylglycerols
- . Alkyl, diacylglycerols
- . Dialkyl, monoacylglycerols
- . 1Z-alkenyl, diacylglycerols

OPTIONS

-c, --ChainAbbrevMode *MostLikely*|*Arbitrary*

Specify what types of acyl chain abbreviations are allowed during processing of complete abbreviations: allow most likely chain abbreviations containing specific double bond geometry specifications; allow any acyl chain abbreviation with valid chain length and double bond geometry specifications. Possible values: *MostLikely* or *Arbitrary*. Default value: *MostLikely*.

Arbitrary value of **-c, --ChainAbbrevMode** option is not allowed during processing of abbreviations containing wild cards.

During *MostLikely* value of **-c, --ChainAbbrevMode** option, only the most likely acyl chain abbreviations specified in ChainAbbrev.pm module are allowed. However, during *Arbitrary* value of **-c, --ChainAbbrevMode** option, any acyl chain abbreviations with valid chain length and double bond geometry can be specified. The current release of lipidmapstools support chain lengths from 2 to 50 as specified in ChainAbbrev.pm module.

In addition to double bond geometry specifications, valid substituents can be specified for in the acyl chain abbreviations.

-h, --help

Print this help message

-m, --mode *Abbrev|AbbrevFileName*

Controls interpretation of command line arguments. Two different methods are provided: specify compound abbreviations or a file name containing compound abbreviations. Possible values: *Abbrev* or *AbbrevFileName*. Default: *Abbrev*

In *AbbrevFileName* mode, a single line in CSV/TSV files can contain multiple compound abbreviations. The file extension determines delimiter used to process data lines: comma for CSV and tab for TSV. For files with TXT extension, only one compound abbreviation per line is allowed.

Wild card character, *, is also supported in compound abbreviations.

Examples:

```
Specific structures: MG(16:0/0:0/0:0) DG(18:1(11E)/16:0/0:0)
                    TG(16:0/16:0/18:1(9Z))
Specific structures: MG(O-16:0/0:0/0:0) DG(P-16:0/16:0/0:0)
                    TG(O-20:0/16:0/18:1(9Z))
Specific possibilities: DG(18:*/16:0/0:0) DG(18:1(*)/16:0/0:0)
                      DG(*:*(9Z)/16:0/0:0)
                      DG(*:*(9Z)/*:*(11E)/0:0)
All TG possibilities: *(*/*/*/*/*) or *(*/**/*)
All MG, DG and TG possibilities: "MG(*:*/0:0/0:0)"
"DG(*:*/*/0:0)"
                                "DG(*.*/0:0/*:*)"
"TG(*:*/*/*/*/*)"
```

Along with wild card character, +/- can also be used for chain lengths to indicate even and odd lengths at sn1/sn2/sn3 positions; additionally > and < qualifiers are also allowed to specify length requirements. Examples:

```
Odd and even number chains at sn1 and sn2: TG(*+*/*-:*/***)
Odd and even number chains at sn1 and sn2 with length longer than
10 and 20: TG(*+>10:*/*->20:*/***)
```

Default sn2 stereochemistry is R. However, abbreviation format also supports these additional stereochemistry specifications for sn2 position: S; U - unknown; rac - racemic mixture.

Examples:

```
MG(16:0/0:0/0:0)[rac] - racemic mixture
DG(18:1(11E)/16:0/0:0)[S] - sn2 stereochemistry is S instead of
default R
TG(16:0/16:0/18:1(9Z))[U] - sn2 stereochemistry is unknown
```

To generate all isomers for specific chains in DG and TG, use of iso designation is also supported. Stereochemistry specification support is not available with isomeric structure generation. Examples:

```
DG(18:1(11E)/16:0/0:0)[iso2] - Two isomeric structures
TG(16:0/16:0/18:1(9Z))[iso3] - Three isomeric structures
TG(16:0/18:0/18:1(9Z))[iso6] - Six isomeric structures
```

Additionally, all isomeric structures can also be generated by explicit specification of chains at different positions:

```
DG(18:1(11E)/16:0/0:0) DG(16:0/18:1(11E)/0:0)
```

```
TG(16:0/16:0/18:1(9Z)) TG(16:0/18:1(9Z)/16:0)
TG(18:1(9Z)/16:0/16:0/)
```

Wild card chain abbreviations are supported with sn2 stereochemistry but not with isomer abbreviation.

-p, --ProcessMode *WriteSDFFile|CountOnly*

Specify how abbreviations are processed: generate structures for specified abbreviations along with generating a SD file or just count the number of structures corresponding to specified abbreviations without generating any SD file. Possible values: *WriteSDFFile* or *CountOnly*. Default: *WriteSDFFile*.

It can take substantial amount of time for generating all the structures and writing out a SD file for abbreviations containing wild cards. *CountOnly* value of **--ProcessMode** option can be used to get a quick count of number of structures to be generated without writing out any SD file.

-o, --overwrite

Overwrite existing files

-r, --root *rootname*

New file name is generated using the root: <Root>.sdf. Default for new file names: GLAbbrev.sdf, <AbbrevFileName>.sdf, or <FirstAbbrevFileName>1To<Count>.sdf.

-w, --workingdir *dirname*

Location of working directory. Default: current directory

EXAMPLES

On some systems, command line scripts may need to be invoked using *perl -s GLStrGen.pl*; however, all the examples assume direct invocation of command line script works.

To generate a GLStructures.sdf file containing a structure specified by a command line GL abbreviation, type:

```
% GLStrGen.pl -r GLStructures -o "MG(16:0/0:0/0:0)"
```

To generate a GLStructures.sdf file containing structures specified by a command line GL abbreviations, type:

```
% GLStrGen.pl -r GLStructures -o "MG(16:0/0:0/0:0)"
"DG(18:1(11E)/16:0/0:0)" "TG(16:0/16:0/18:1(9Z))"
```

To generate a GLStructures.sdf file containing structures specified by a command line GL abbreviations with specific stereochemistry, type:

```
% GLStrGen.pl -r GLStructures -o "MG(16:0/0:0/0:0)[rac]"
"DG(18:1(11E)/16:0/0:0)[S]" "TG(16:0/16:0/18:1(9Z))[U]"
```

To generate a GLStructures.sdf file containing all isomeric structures specified by a command line GL abbreviations, type:

```
% GLStrGen.pl -r GLStructures -o "DG(18:1(11E)/16:0/0:0)[iso2]"
"TG(16:0/16:0/18:1(9Z))[iso3]" "TG(16:0/17:0/18:1(9Z))[iso6]"
```

To enumerate all possible GL structures and generate a GLStructures.sdf file, type:

```
% GLStrGen.pl -r GLStructures -o "**(*/*/*)"
```

